

c

b

EM
M =
I û 4D "°
E ? >

E 6

OD

ODò •fD;P4U

=M

M =

e


h
r
A
Q

1		1 Windows Linux ,		
		2		
		3		
		4		
		5		
		6		
		7		
		8		
		9		
		10 GPU	Batch-size	1
		11		
		12		
		13		
		14 OpenCV		
		15 tensorflow		
		16 7 YOLO Keras YOLOv3		
		17 tensorflow		
		18		
2		1 docker " "		
		2 Harbor docker Harbor		
		3 LDAP/AD Harbor LDAP Harbor		1
		4		
		5 Harbor docker		
		6		

		7 harbor							
		8 RESTful API harbor				RESTful API			
				Swagger UI			API		
				docker					
					harbor				
		10 harbor							
		11 harbor							
		12							
		1				4		fashi on	
		2		-		13		Anaconda apri ori	
			PyCharm		skl earn fpGrowth			SVM UCI	
					Logi stcal Regressi on LSTM		DBSCAN		
			K	UCI wine			SK-I learn Label word2vec doc2vec	Propagati on	
		3		-		7			
		4		-		8			
					Spark				
		5		-		10			
			pycharm anaconda					MINST	
					CNN		SVM		
			SVM	Kaggl e	MIN ST				
			DBSCAN		K			PCA	
		6		-		5			
							- Kaggl e		
					LSTM				
					MIN ST				
		7		-		6			
							Deep Learni ng	Theano	Deep
			Learni ng		TensorFI ow		Deep Learni ng	Keras	
			Deep Learni ng		Keras		Sci ki t-Learn	Deep Learni ng	
			Keras CNN		Deep Learni ng		Keras LSTM		
		8		-		11			
							pycharmanaconda		
					SMD				
			Tensorfl ow		SVM				
			Dropout		BP				
			Tensorfl ow			1			2
					Mi st		RNN		
		9		-		4			
							Python		
			Deep Learni ng		CNN		Deep Learni ng		BP
					Deep Learni ng				
		10		-		4			



1




-

2

-SVM

Iris



-



1		1 2U 2 1 intel 4210 2.2GHz 10 3 32G DDR4 2933 4 4 4TB 7.2K 5 8 3.5 6 LR382A/8 /SAS 12Gb/ /PCI e 3.0 x8/1GB / RAI D 7 2 8 2 550W 9 3	12	
2	GPU	1 2U GPU 2 2 intel 4210 2.2GHz 10 3 320G DDR4 2933 24 DDR4 RDI MM L RDI MM 3TB 4 2 SSD/480GB/SATA 6Gb/2.5 3 4TB/SATA/7200PRM/3.5 / 5 8 3.5 12 3.5 6 LR382A/8 /SAS 12Gb/ /PCI e 3.0 x8/1GB / RAI D 7 2 8 2 1200W 9 2 GeForce RTX 3080 10GB GDDR6X/ / / 320W 10 3	2	
3		1 CPU Intel i5-11500 3C 2 570 3 8GB DDR4 2666 2 DI MM 4 512GB SSD M2 SSD + 3.5 5 6 10/100/1000M 7 6 USB USB3.2 4 1 VGA 1 HDMI 1 1 RJ-45 1 1 8 5.1 9 / USB 10 110V/220V 180W 80PI us 11 15L 12 1 PCI e x16 1 PCI e x1 2 M2 13 23.8 1920*1080 14	70	
4	OSS	1 xp\w n7\w n8\w n10 2 MBR GPT , 60 3 SSD 4 W NDOWS 1000 5 6 7 8 W ndovs I P 9	70	

5	<p>1 : OpenGL DirectDraw Direct3D AutoCAD 3DMax, Protel , 2 3 word excel 4 5 6 7 8 USB U MP3 9 10 11 12 13 14 15 16 USB 17 18 16 19 20 21 22 23 24 25 26 IP CPU</p>	1	
	<p>1 Quad-core ARM A57+128-core NVIDIA Maxwell I 2 AI 472GFLOPs 3 Ubuntu 18.04 LTS+ ROS_Melodic 4 Python 5 15kg*5+6kg*1 6 2*11C 5V 7 RGB OLED 6 6 PWM 8 12V5A 9 T 10 APP PC PS2 PC) 11 WiFi 12 13 14 300*140*470mm 15 1000g 16 (DCF) 5 + 17 200g() 18 500g()</p>	1	

		4 4Kp30 (4x) 1080p30 (2x) 1080p60 5 4Kp60 (2x) 4Kp30 (8x) 1080p30 (4x) 1080p60 6 USB 4xUSB3.0A() USB 2.0 Micro B(7 MIPI CSI-2x2(15 Flex) 8 HDMI DisplayPort 9 (RJ45) 10 M.2 PCIe x1 Key-E 11 MicroSD (16GB UHS-1) 12 I/O (3x) I2C (2x) SPI UART I2S GPIO		
7	AI	1 64 ARMA57@1.43GHz 2 GPU 128 NVIDIA Maxwell I @921MHz 3 4GB 64 LPDDR4@1600MHz 25.6GB/s 4 4Kp30 (4x) 1080p30 (2x) 1080p60 5 4Kp60 (2x) 4Kp30 (8x) 1080p30 (4x) 1080p60 6 MicroSD (16GB UHS-1) 7 : Python C 8 : 800 9 : 3 RGB OLED 10 : 12.6V 11 : *2, *1 12 : 2 13 : 180 14 : 15 : WIFI 16 : 17 : 180mm* 172mm* 210mm) 18 : 1275g		1
8		1 CPU 64- 1.5GHz 2 GPU Broadcom VideoCore VI @ 500MHz 3 Python3 4 200 5 4 PWM 6 7 180 PWM 8 9 12.6V 10 160 11 12 *4 13 14 15 230mm 230mm 140mm 16 1.4KG		5
9	VEX	1. USB 1.1 667MHz Cortex A9 32MHz Cortex M0 1.2 FPGA 1.3 128 MB 1.4 32MB 1.5 8 1.6 USB 2.0 (480 MB/s) 1.7 VEXnet3 4.2 1.8 1.9 1.10 21 1.11 8 3 2 2.1 600rpm		1

	<p>2.2 11W</p> <p>2.3 11W</p> <p>2.4 2.1Nm</p> <p>2.5</p> <p>2.6 1800 / 36 1 900 / 18 1</p> <p>300 / 6 1</p> <p>3.</p> <p>3.1</p> <p>3.2 640x 400</p> <p>3.3 ARM Cortex M4 M0</p> <p>3.4 V5 I Q USB Micro</p> <p>3.5 2.4 GHz 802.11 W-Fi Direct</p> <p>3.6 W-Fi</p> <p>4.</p> <p>4.1 LCD 128x 64 LED</p> <p>4.2</p> <p>5.</p> <p>6.</p> <p>7.</p> <p>8. 1 8 3800</p>		
10	<p>600*1000*2000mm 42U : ANSI / EIA RS-310-D IEC297-2</p> <p>DI N41491; PART1 DI N41494; PART7 GB/T3047.2-92 ; ETSI</p> <p>: ; 800KG(;</p> <p>: ;</p> <p>: 800KG() : IP20 : SPCC</p> <p>2.0mm 1.5mm 1.2mm :</p>		2
11	<p>1</p> <p>2 256Gbps</p> <p>3 42/96Mbps</p> <p>4 24 10/100/1000Base-T , 4 1000Base-X</p> <p>5 28</p> <p>6 10M/100M/1000Mbps</p> <p>7 1 Console</p> <p>8 CoS CoS, Diff-Serv CoS, 8</p> <p>802.1p/DSCP , , Mark/Remark,</p> <p>, , Voice VLAN</p> <p>9 VLAN VLAN , VLAN 4K , MAC</p> <p>VLAN, VLAN, GVRP, QinQ QinQ VLAN Mapping,</p> <p>GUEST VLAN</p> <p>10 , LACP, , 8</p> <p>11 , Console/AUX Modem/Telnet/SSH2.0 ,</p> <p>FTP TFTP Xmodem SFTP , SNMP V1/V2c/V3 , RMON,</p> <p>VCT , TR069, NTP , ,</p>		2
